# **WP77 VISION MASTER**

77mm PUNCHED ALUMINIUM SHUTTER

## Security by Design Automatic Roller System

- High quality 'see-through' shutter
- Strong and secure aluminium sections
- Aesthetically pleasing modern design
- Reliable trouble-free operation
- Roll on automatic roller system for wide doors
- Optional Lexan infills to cover punched sections

Punched slot profile with double skinned top and bottom sections

Double skinned profile

Rubber base rail

The WP77 Vision Master all aluminium roller shutter has been developed with safety and security in mind. The double skinned aluminium top and bottom sections of each profile ensure strength and stability over large spans with punched out sections giving visibility without compromising on security.

Ideal for any application where vision and security are required the Vision Master will give you peace of mind wherever the installation. Available up to 6 meters wide in an array of colours the Vision Master will compliment any application that it is applied to.

Electrically operated as standard the Vision Master shutter is powered by Somfy tubular motors to ensure a reliable trouble free operation everytime. For ultimate security 2mm lexan strips can be inserted to cover the punched out sections of the profile ensuring

total security.









 Perfect security for the retail market



Secure aluminium sections



High ImpactPolyamide Endlock



Optional Safety Break System



 Sliding Endplate System on large doors




Unit 5, Throckley Way, Middlefields Industrial Estate, South Shields, Tyne & Wear, NE34 0NU. Tel: 0191 455 9707 Fax: 0191 427 6855 Email: admin@warmprotection.com Web: www.warmprotection.com



## Extruded WP 53 Safe

## by Warm Protection Products Ltd



The WP 53 double skinned extruded shutter has been designed for maximum performance with maximum security for large openings up to 5600mm wide. Thick double skinned extruded profiles with special shaping ensures tight coil sizes thus reducing box sizes to leave a visually attractive roller shutter system.

Constructed from an all aluminium design the WP 53 enhances any application it may be applied to while still retaining a high security defence against burglary.

Thick extruded guide rails and optional base rail foot complete this extremely effective door.











# **WP38 RESIN SAFE**

#### SECURE ALUMINIUM PLANT ON SHUTTER






- High security roller shutter
   TÜV & FIFT approved
- Stylish and compact shutter boxes
- High impact screw in endlock system
- Automatic locking system
- Aesthetically pleasing modern design
- Reliable trouble-free operation



somfy.



Stylish double skinned roll formed aluminium sections with hardened chemical resin infill have been designed to accept a screw in polyamide endlock system for ultimate security. The resin infill helps reduce noise and improves heat insulation by 20%. The WP38 Resin profiles are available in standard factory finish colours which will compliment and enhance any application.


Operated from inside by a rod crank winding handle or powered by tubular electric motor, both systems lock automatically when fully lowered. The small roll shutter box constructed from roll formed aluminium sheet, has special shaping to ensure stability throughout its length. With box sizes starting from 165mm x 165mm the roll shutter system automatically becomes aesthetically appealing whilst still retaining its high security benefits.







Unit 5, Throckley Way, Middlefields Industrial Estate, South Shields, Tyne & Wear, NE34 ONU. Tel: 0191 455 9707 Fax: 0191 427 6855 Email: admin@warmprotection.com Web: www.warmprotection.com





 Automatic drive down locking system



 Hardened resin infill with high impact screw in endlock system



• Thick extruded aluminium guide sections




Security bottom rail foot

# **WP36 EXTRUDED**

#### SECURE ALUMINIUM PLANT ON SHUTTER





Stylish, thick double skinned extruded aluminium profiles have been designed with special sections to allow standard and antivandal endlock systems to be screwed directly in for ultimate security.

The profile complete with its high security guide rail completes the ultimate in shutter design. Available in standard factory finish or to suit any standard RAL/BS colour within our range, the complete roll shutter system enhances and compliments any application.

Operated from inside by a rod crank winding handle or powered by tubular electric motor, both systems lock automatically when fully lowered.

The small roll shutter box constructed from roll formed aluminium sheet, has special shaping to ensure stability throughout its length.

With box sizes starting from 165mm x 165mm the roll shutter system automatically becomes aesthetically appealing whilst still retaining its high security benefits.



SPECIALIST

ROLL SHUTTER

SYSTEMS by Warm Protection Products Limited

 Automatic drive down locking system



 Extruded profile with high impact screw in endlock system



 Thick extruded aluminium guide sections



Security bottom rail foot



- High security **TÜV & FIFT approved**
- Stylish and compact shutter boxes
- High impact screw in endlock system
- Automatic locking system
- Aesthetically pleasing modern design
- Reliable trouble-free operation








# WP32 SUPER MINI FOAM FILLED

#### **ALUMINIUM PLANT ON SHUTTER**







- Ultimate all aluminium design
- Stylish and compact shutter boxes
- Automatic locking system
- Aesthetically pleasing modern design
- Reliable trouble-free operation



somfy.

Roller Shutters are exposed to all types of weather and environmental conditions. That is why Warm Protection's Domestic Roller Shutters are double coated then finished with a final PVC lacquer coating to protect against corrosion and UV degradation.

The profiles are precision roll formed from high quality aluminium alloy then injected with a foam core for additional strength, security and a smooth silent operation.

Warm Protection's Domestic Roller Shutters have many uses and advantages including:

- A unique locking system, which increases protection against vandalism and burglary.
- Can protect furnishings from the harmful fading effects of the sun.
- · Can keep a room cool in summer.
- Can provide blackout if required.
- Can reduce unwanted noise from outside your home and therefore improve sleeping conditions
- Can help to reduce heating costs by retaining

Warm Protection Domestic Roller Shutters are available in a wide range of attractive colours to compliment your home.

Please contact our Technical Department for further details.







Unit 5, Throckley Way, Middlefields Industrial Estate, South Shields, Tyne & Wear, NE34 0NU. Tel: 0191 455 9707 Fax: 0191 427 6855 Email: admin@warmprotection.com Web: www.warmprotection.com  Fitted externally but operated internally



•Small, neat compact shutter boxes




• CFC free foam filled profiles



• Automatic locking system

# WP42/36 PUNCHED

#### SECURE ALUMINIUM PLANT ON SHUTTER



- High quality see-through shutter
- Ultimate all aluminium design
- Thick extruded high security profile with vision
- High impact screw in endlock system
- Stylish and compact
- Automatic locking system
- Stylish and compact shutter boxes
- Reliable trouble-free operation





The WP42 Punched Vision Master is a punched aluminium shutter with added features to give many benefits over other see through shutter systems.

Ideal for shop fronts, kiosks, bars, serveries and commercial applications where vision is a necessity. The Vision Master outclasses other systems with its strength and smart appearance.

The special design of the Vision Master profile ensures small coiling thus reducing the shutter box size dramatically while still retaining high levels of security.

The punched sections found in the WP42 profile allow vision, light and air filtration through its 100mm x 22mm punched slots. As an acting security feature a double skinned extruded profile WP36 is fitted to every alternate lath and secured in place with a high impact polyamide end lock system. As an optional extra the punched holes can be protected with lexan strips for maximum security.

All shutters are custom made to customer requirements in polyester powder coated finish to suit standard RAL/BS colours.

Operation can be by internal rod crank winding handle, Somfy tubular motor, or manual spring operated with key lock bottom rail.










 WP42/36 punched alternate profiles



• High impact screw in polyamide endlock system



 Thick extruded aluminium guide sections



Security bottom rail foot




Unit 5, Throckley Way, Middlefields Industrial Estate, South Shields, Tyne & Wear, NE34 ONU. Tel: 0191 455 9707 Fax: 0191 427 6855 Email: admin@warmprotection.com Web: www.warmprotection.com

# **WP42/36 PERFORATED**

#### SECURE ALUMINIUM PLANT ON SHUTTER





- Ultimate all aluminium design
- High security profiles with vision
- High impact screw in endlock system
- Stylish and compact shutter boxes
- Automatic locking system
- Reliable trouble-free operation





The WP42/36 perforated Visionmaster is a perforated aluminium shutter with added features to give many benefits over other see-through shutters.

Ideal for shop fronts, kiosks, bars, serveries and commercial applications where vision is a necessity. The perforated Visionmaster outclasses other systems with its strength and appearance.

The special design of the Visionmaster's profile ensures small coiling thus reducing the shutterbox size dramatically whilst still retaining high levels of security.


The perforated sections found in the WP42 profile allows vision, light and air filtration through its vast amount of 5mm diameter holes. As an acting security feature, a double skinned extruded profile WP36 is fitted to every alternate lath and secured in place by a high impact polyamide endlock system which is screwed into the WP36 profile.

All shutters are custom made to your requirements in factory finished colours with the option to powder coat to any RAL/BS standard colour, at a surcharge.

Operation can be by internal rod crank winding handle, Somfy tubular motor or manual spring-loaded operation with keylock bottom rail.










 Automatic drive down locking system



 High impact screw in endlock system



• Thick extruded aluminium guide sections



Security bottom rail foot



Unit 5, Throckley Way, Middlefields Industrial Estate, South Shields, Tyne & Wear, NE34 ONU. Tel: 0191 455 9707 Fax: 0191 427 6855 Email: admin@warmprotection.com Web: www.warmprotection.com