

# EYE-CATCHER

weinor VertiTex II vertical awning




Only from weinor:

**The smallest cassette**

Cassette height 7.5 cm even up to 6 m width



A large window with a vertical awning overlooking a garden with a swimming pool and an orange tree.

## VertiTex II – enjoy the outdoors well protected

The VertiTex II vertical awning offers protection from the dazzling sun, prevents the patio and indoors from becoming uncomfortably hot and shelters you from prying eyes. Carpets/flooring, curtains and furniture are also protected. This textile beauty still lets you see outside too, depending on the fabric type. Large windows can also be shaded with VertiTex II. And the extremely small cassette adapts unobtrusively to any building facade.









VertiTex II Zip | Frame colour WT 029/80081

### Protected patio

The weinor vertical awning can be flexibly and subtly mounted on the patio roof thus providing reliable all-round protection, even with a low-lying sun and wind.

### More beautiful living on balconies

VertiTex II can be used as an attractive and stable alternative to sunshades etc. on the balcony.



VertiTex II Rope | Frame colour WT 029/80081

## The right choice **for anywhere**

Regardless of whether it's for the patio roof, pergola awning, window, balcony or conservatory: the VertiTex II is always perfect. Thanks to its compact design, the many versions offer versatile protection against prying eyes and the weather, it is a **real all-rounder among vertical awnings**. And its unobtrusive design gives a great look to any facade in any application.



| Pattern StarScreen 7-103



VertiTex II Rail | Frame colour WT 029/80081 | Pattern StarScreen 7-103




| Pattern StarScreen 7-103

### **Textile luxury at the window**

Due to its impressive textile, homely character, the VertiTex II is a suitable alternative to external shading systems or roller shutters. Its huge advantage: it can be used outside and inside. Special fabric types also allow for pleasant lighting inside thanks to their transparency and allow you to see outside at the same time as offering privacy protection.






VertiTex II Rail and Rope | Frame colour WT 029/70786 | Pattern StarScreen 7-108

## Small size – great design

We don't want you to deface your patio, windows or balcony with a bulky cassette housing. Which is why we have developed the smallest cassette for you. **Thanks to the patented weinor Opti-Flow-System® the cassette is much smaller and more discreet** – even with very large fabrics up to 6 metres wide. And the fabric position is always perfect.



### **Our smallest\*: just 7.5 cm high!**

weinor is the only manufacturer to offer widths of up to 6 metres with the smallest cassette detail.

\* For the rail and rope versions both in round and also square cassette shape. Besides this, there is also a 9.2 cm high cassette available.



## A gem – available in round or square design

Do you prefer classically round or timeless square? VertiTEx II is sure to suit your taste. As the gem is available in round and square design **as well as having no visible fixings on display**. As a result, you can really easily adapt the weinor vertical awning to any building style. And with more than 200 frame colours and fabric patterns you are sure to strike the right note!





VertiTex II Rope

VertiTex II Rail

VertiTex II Zip



# Three versions – always beautiful, always fitting

Every facade or patio has its own special characteristics – in terms of appearance but also with regard to the location and construction. Which is why weinor offers three different techniques to reliably guide the fabric sideways: by zip, rail and rope. **All three versions can also be made in large widths up to 6 metres** and are suitable for a whole variety of uses.

## VertiTex II Zip



### The wind-resistant version

The fabric held captive on both sides. The benefits: very well tensioned fabric, no light gap and maximum wind stability.

## VertiTex II Rail



### The universal version

The fabric is reliably guided in the rail with the bottom rail profile. A small light gap remains between the fabric and rail.

## VertiTex II Rope



### The light version

The VertiTex II with rope guide is the ideal solution for a delicate and light look.



VertiTex II Rail | Frame colour WT 029/80081 | Pattern StarScreen 7-103

**Fits in well.** Thanks to the matching guide rails, special fixing techniques and the small cassette shape, the VertiTex II can also be fitted to difficult facade areas, for example window frames or reveals.



VertiTex II Rail | Frame colour RAL 7016 | Pattern Soltis® 86-2044

**Crystal-clear view.** The small cassette and transparent fabric from inside allow for unobstructed views outside. The fabric dominates the look. Resulting in a homely atmosphere.

**Stable in the wind.** All three VertiTex II versions are wind-resistant. The benefit for you: if the wind's blowing a bit stronger, the privacy and sun protection doesn't have to be retracted straight away. The VertiTex II Zip has the highest wind-resistance due to the awning fabric's guide being completely closed. The fabric remains stable and withstands stress up to wind force 6.







VertiTex II Rope | Frame colour RAL 7032 | Pattern Soltis 86-2175


**Hangs securely in the ropes.** The VertiTex II rope guide can be indented, if required. This provides benefits if it is not possible to fix it on the sides, e.g. with indented posts or very narrow window frames. The awning fabric can then be wider than the guide rope bracket.



**All lined up.** Do you have windows that are wider than 6 metres? No problem! VertiTex II can also be used as a multi-section unit and can therefore be adapted perfectly to extremely large patio roofs or facade fronts.



VertiTex II Zip | Frame colour WT 029/80081 | Pattern Perluca 3-509P



**The innovative weinor  
Opti-Flow-System®**  
makes large fabric  
widths possible.



**Premium quality**  
made in Germany  
● ● ●

## Quality and comfort made by weinor

Anyone opting for weinor products can rely on top quality. Only high-quality materials are used. Thanks to our many years of experience and our own state-of-the-art production, the VertiTex II is perfectly tailored to your needs.



**Scan now and  
experience the beauty  
of the VertiTex II**

### **weinor certificate of authenticity**


Every weinor product is delivered with a certificate of authenticity. Ask your retailer and partner for it!



**Most definitely  
an original product**



# VertiTex II – technical highlights with zip, rail and rope




Wound up roller tube

Unrolled roller tube

## Smallest cassette thanks to the weinor Opti-Flow-System®

The small roller tube for the VertiTex II has a floating bearing. This yields when the fabric is wound up and is therefore safely supported across the entire width of the awning. As a result, the tube cannot bow under the load and **the fabric position is always optimised**. Very large fabric surface areas up to 15 m<sup>2</sup> can therefore be produced without the cassette size having to be modified.



## Safely guided – even in winds

In winds the elegant bottom rail profile at the bottom of the awning revolves too so that the system runs **reliably and quietly** without jamming. This protects the fabric and mechanism and extends the operating life of the whole system.



Exterior view

Interior view

## Readily retrofittable

VertiTex II can be really easily retrofitted on windows, patio roofs or balconies too. Narrow frames or complex untrussed roofs do not pose any problems. The weinor vertical awning can be **used almost anywhere**.



## Comfortable control

VertiTex II is equipped with a high-quality motor drive as standard. Various control options from cable to radio with weather sensors provide **suitable comfort at all times**. With the weinor BiConnect radio control you can operate all weinor products as well as other awnings, lighting, and heating really easily using the hand transmitter.\* It's even possible to control them by iPhone and iPad using the BiEasy app.

\* Alternatively, you can also control every sun protection technical element using RTS or io-homecontrol® from **somfy**.

# The **FABRIC** makes the awning

Breathtakingly beautiful and long-lasting: our wide range of fabric patterns brings a cosy atmosphere outdoors – strictly according to your individual taste.

## Attractive awning fabrics to suit every taste



my collections, weinor's new fabric range consists of 3 different colour ways with a total of 143 patterns in total.


weinor fabrics are made from polyester or acrylic and are spinneret dyed. This guarantees outstanding durability, consistently radiant colours and great UV resistance.

Thanks to the Teflon fabric coating and state-of-the-art nanotechnology, the surface is resistant to oil, water, dirt and prevents rot.

my collections is also impressive in terms of environmental compatibility. The fabrics do not contain any substances harmful to health and they meet all the required environmental standards.

More information at:  
[www.weinor.com/fabric\\_qualities](http://www.weinor.com/fabric_qualities)

## Vertical sun protection with a crystal-clear view



weinor external screens effectively protect both the indoors and outdoor spaces from overheating, whilst giving superb sun protection. They can also offer privacy from prying eyes. We recommend the screens by weinor® collection for this application.

It includes four different, high-quality fabrics, StarScreen, Perluca, Soltis® and fibreglass screen. They all offer perfect sun protection and privacy for windows, the patio and balconies. Different degrees of transparency and how much air is let through are possible, depending on requirements.

---

**Note: Soltis® fabrics are not available for VertiTex II Zip.**





**StarScreen**



**Perluca**



**Soltis®**




**Fibreglass screen**

screens by weinor® is the fabric collection for vertical privacy and sun protection at home. The beautiful fabrics provide a pleasant climate and make it more homely.



**screens**  
by weinor®

# 47 standard RAL colours





# Over 200 modern FRAME COLOURS

*Colour manufacturers make every effort to guarantee colour stability. Despite this, as a result of the ban on the use of heavy metals in powder coatings, it therefore cannot be excluded that colours in general, and Fire Red (RAL 3000) in particular, may fade with time. Colours may differ significantly due to the printing process.*

Maximum colour safety: weinor has over 200 different frame colours for you to choose from. You can choose from diverse colours which harmonise with the architecture.

## Identical colours – for a perfect match

As weinor does all the powder coating in its own workshop, you can also rest assured that different weinor products come with the same top-class colour tonality and identical gloss level.

## Choose from an abundance of high-quality colours:

- 47 standard RAL rack colours, silk gloss
- 9 scratchproof, resistant trend colours with an elegant textured look (standard)
- over 150 special RAL colours

RAL 8003  
Clay brown

RAL 6012  
Black green

RAL 1002  
Sandy yellow

RAL 1015  
Light ivory

RAL 1003  
Signal yellow

## 9 trend colours

WT 029/80081  
Iron glimmer  
effect P7

WT 029/80077  
Approx.  
DB 703 metallic

WT 029/10797  
Approx.  
RAL 9010

WT 029/71289  
Approx.  
RAL 7016

WT 029/90146  
Approx.  
RAL 9006 metallic

WT 029/50704  
Approx.  
RAL 6009 metallic

WT 029/90147  
Approx.  
RAL 9007 metallic

WT 029/70786  
Sparkling iron  
effect

WT 029/60740  
Chestnut 04  
metallic

# weinor **VertiTex II** vertical awnings

## Product benefits in detail

● standard ○ option — unavailable

	Zip	Rail guide	Rope guide
<b>Technology</b>			
Max. width	600 cm	600 cm	600 cm
Max. height of system	300 cm	400 cm for max. width of 350 cm	400 cm for max. width of 350 cm
Max. shadeable area	15.0 m <sup>2</sup>	14.4 m <sup>2</sup>	14.4 m <sup>2</sup>
Cassette type 75 (86 x 75 mm)	—	system height up to 300 cm	system height up to 300 cm
Cassette type 92 (101 x 92 mm)	system height ● up to 250 cm	system height ○ up to 300 cm ● from 301 cm	system height ○ up to 300 cm ● from 301 cm
Cassette type 112 (121 X 112 mm)	system height ○ up to 300 cm	—	—
Multi-section unit	○	○	○
Motor drive	● as standard; no crank		
Wind resistance class according to DIN 13561	3	2	2
Wind force on the Beaufort scale (km/h)	6 (up to 49 km/h)	5 (up to 38 km/h)	5 (up to 38 km/h)
<b>Accessories</b>			
BiConnect radio control	○	○	○
BiSens weather sensors	○	○	○
<b>Frame colours</b>			
47 standard frame colours	●	●	●
Over 150 special RAL colours	○	○	○
9 trend colours	●	●	●
<b>Fabric collections (max. system height)</b>			
screens by weinor® StarScreen	○ (300 cm)	○ (400 cm)	○ (400 cm)
screens by weinor® Perluca	● (300 cm)	● (220 cm)	● (220 cm)
screens by weinor® Soltis® 86/92*	—	● / ○ (400 cm)	● / ○ (400 cm)
screens by weinor® fibreglass screen	○ (300 cm)	○ (300 cm)	○ (300 cm)
my collections	● (220 cm)	● (220 cm)	● (220 cm)

### Save energy costs with vertical awnings!

As exterior sun protection, VertiTex II prevents indoor rooms from overheating. This saves on costs for cooling and air-conditioning.

**Please note: the weinor product range may vary depending on the country.**

\* Soltis® fabrics have a plastic surface that is washable and durable at the same time. However, this easy to clean surface produces static friction on the fabric, which partly leads to it not rolling up smoothly. This brief jerking movement does not impair the product's function and durability in any way.

**Important:**

**Fabric qualities:** weinor awning fabrics meet strict quality requirements and are produced using state-of-the-art production technology. Despite this, blemishes like creases, rippling in the seam and hem area, overstretching in the hem area and honey-combing cannot be ruled out. This has no negative impact on the quality and operating life and are not a reason for rejection.

For more detailed information:  
[www.weinor.com/fabric\\_qualities](http://www.weinor.com/fabric_qualities)

**Awnings and conservatory awnings:** must be retracted when it is raining or windy – risk of pooling! Fabrics that are allowed to become wet may show increased signs of creasing and wrinkling. They should therefore be extended again to dry when the weather is better.

**Frame colours:** depending on the frame colour ordered, we deliver all small parts, as well as gear handles and gear boxes in black (similar to RAL 9005), white (similar to RAL 9016), or in grey (similar to weinor 7319).


**Motor drives:** Depending on the type of motor and control, the driving behavior may be slightly different (eg when running in the bottom rail).




## Perfectly housed

The different versions of cassette and guide always provide the perfect solution for any building situation. This is also evident in the following detail of building units including dimensioning (all details in mm).


75 cassette round, small




75 cassette square, small




92 cassette round, middle




92 cassette square, middle




112 cassette round, large




112 cassette square, large



Round guide rail




Wall mounting




Installation in reveals

Square guide rail



Wall mounting





Installation in reveals



**Cover**

Front: **Frame colour** WT 029/80081 | **Pattern** StarScreen 7-103  
 Back: **Frame colour** WT 029/70786 | **Pattern** 3-716

We reserve the right to make technical changes as well as changes in range and product portfolio. For technical reasons, the colours may appear slightly different when printed.



Experience the whole [weinor.com](http://weinor.com) world

Your specialist weinor partner will be pleased to advise you:

**Patent no**

16001718.2	EP 0959195
17000580.5	EP 1310609
16002201.8	EP 1835089
16002204.2	EP 1936062
16002202.6	EP 1936105
17001164.7	EP 2072709
16002717.3	08006834.9
17000149.9	EP 2136214
17000150.7	EP 2202376
17001051.6	EP 2199484
17001050.8	EP 2383402
17000679.5	EP 2631386
17000680.3	EP 3048213
18000571.2	
18000941.7	
Gem G5.004009249-0001	